

Day : Friday
Date: 5/26/2006

Time: 16:12:53

 **PALM INTRANET**

Inventor Information for 10/524868

Inventor Name	City	State/Country
<u>SHIKUWA, SHINGO</u>	KAWASAKI-SHI	JAPAN
<u>MORISITA, YOSIYUKI</u>	KAWASAKI-SHI	JAPAN
<u>HOSHINO, HISAO</u>	HAMURA-SHI	JAPAN
<u>YURUDUME, TATSUSHI</u>	HAMURA-SHI	JAPAN
<u>SHIMIZU, SATOSHI</u>	HAMURA-SHI	JAPAN

[Appln Info](#)[Contents](#)[Petition Info](#)[Atty/Agent Info](#)[Continuity Data](#)[Foreign Data](#)Search Another: Application# or Patent# PCT / / or PG PUBS # Attorney Docket # Bar Code #

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1	(induction with heat\$3) and (thin with sheet) and ((reincreas\$3 or (re-increas\$3)) with temperature\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 15:58
L2	1711	(induction with heat\$3) and (thin with sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:54
L3	137	2 and (reheat\$3 or re-heat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:01
L4	1	3 and (reduc\$3 with temporarily with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:00
L5	1	3 and (reduc\$3 with temporary with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:00
L6	0	3 and (reduc\$3 with moment\$4 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:00
L7	100	3 and (temperature with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:07
L8	0	7 and harden\$3 and quech\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:08
L9	26	7 and harden\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:52

EAST Search History

L10	1	9 and (magnetic with transformation with point\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:53
L11	44	H05B\$/\$.ipc. and (magnetic with transformation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:09
L12	1	11 and (induction with heat\$3) and (thin with sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:21
L13	1	11 and (induction with heat\$3) and (metal with sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:55
L14	21	11 and (induction with heat\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 16:56
L15	8	14 and (reduc\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:10
L16	6785	c21D\$/\$.ipc. and induction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:09
L17	25	16 and (magnetic with transformation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:24
L18	0	17 and (reduc\$3 with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:10
L19	7	17 and (reduc\$3 with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:20

EAST Search History

L20	1774	(219/645,634,665,643,663,667,656,662).CCLS.	USPAT; USOCR	OR	OFF	2006/05/26 17:20
L21	2150	(219/645,634,665,643,663,667,656,662).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:20
L22	3027	(148/567,565,579,108,111).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:21
L23	1616	(266/103,138,252).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:21
L24	6739	21 or 22 or 23	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:21
L25	86	24 and (induction with heat\$3) and (thin with sheet)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:22
L26	54	25 and (temperature with control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:23
L27	22	26 and ((reduc\$3 or adjust\$3) with power)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:26
L28	1	27 and (magnetic with transformation)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:24
L29	1	27 and (reincreas\$3 with temperature)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	OFF	2006/05/26 17:26